


 Fichet Bauche®

# Optura

Vault door  
Fire and Burglary Protection



**Certified  
burglary  
resistance**  
Grades V-XI



**Certified  
fire  
resistance**  
EI-120



[www.fichet-bauche.com](http://www.fichet-bauche.com)

# OPTURA

## Certified Fire & Burglary Protection

Taking full advantage of Fichet-Bauche expertise in high-risk security, Optura vault doors are designed to resist the most recent tools and methods of attack.



### Key features

#### PROTECTION

- ✦ Certified burglary resistance as per EN 1143-1 (Grades V-XI)
- ✦ Certified fire resistance as per NT Fire 017 (60 minutes for paper documents)

#### CAPACITY


- Defensive thickness
- ✦ 100 mm
  - ✦ 180 mm
  - ✦ 280 mm

#### KEY BENEFITS

- ✦ Very high levels of certified protection (up to Grade XI)
- ✦ Wide choice of locking options
- ✦ Integrated trap door with full certification (Grade V only)

## Fichet-Bauche guarantees

Our products are subjected to the most stringent tests approved by insurers and A2P-certified by France's National Centre for Prevention and Protection (CNPP). This is the result of integrating our own test laboratory into our factory to impose conditions going even further than those of certifying bodies. Installation is also carried out by our own technicians to ensure certification of your safe is always preserved.



Optura with integrated trap door

Optura / Optura S

## Technical specifications

Door dimensions	V			VI	VII	VIII	IX	X / X CD	XI / XI CD
	Door alone	Door with trap door	Trap door alone						
Frame thickness (mm)	240	240	240	240	240	320	320	420	420
Door thickness (mm)	100	100	100	100	100	180	180	280	280
Clearance width	910	910	500	895	895	895	895	912	912
Clearance height (mm)	2030	2030	600	2167	2167	2172	2172	2177	2177
External height (mm)	2167	2167	814	2167	2167	2172	2172	2177	2177
External width (mm)	1193	1193	774	1193	1200	1220	1220	1360	1460
Approx. weight (kg)	885	945	295	1040	1080	1800	1850	2650	2730

\* CD: added protection against core drills (diamond tools).

## Fichet Locks

A2P-certified locks as per European standards EN 1300:

- ✦ Mauer key lock
- ✦ Moneo mechanical combination lock
- ✦ MxB key lock (patented by Fichet-Bauche)—only for Grade V
- ✦ KelNet electronic combination lock



Mauer key lock

MxB key lock  
(patented by Fichet-Bauche)Moneo mechanical  
combination lockKelNet electronic  
combination lock

## A hallmark of our brand

With 200 years of experience as master locksmiths, we develop and manufacture our own exclusive locks. This is one of the key strengths of our safes and a guarantee of high security. We remain committed to permanent investment in R&D, always looking for more functionality, more resistance, new materials and more advanced lock technologies.

## Product details

For most organisations, the safeguarding of valuable objects or documents is absolutely imperative. In sensitive sectors such as banking, retail, logistics or pharmaceuticals, large amounts of money or valuables are often kept on site, which increases the need for high-quality security solutions. Forming an integral part of the structure in which it is built, a vault always delivers the highest level of protection against burglary.

### PERFORMANCE AND SECURITY

Optura vault doors offer among the highest levels of security currently available:

- ✦ A2P-certified burglary protection as per EN 1143-1 (Grades V/E to XI/E)
- ✦ Optional 2 hour fire protection for the sealed frame version
- ✦ Two types of installation (sealed frame and panel frame)
- ✦ Compatible with certified modular panels of the same grade Core Drill
- ✦ Protection with diamond tool testing (Grade X and XI models)
- ✦ Fichet-Bauche high performance composite barrier material
- ✦ Multiple rectangular bolts (3 to 5 depending on model)
- ✦ Full-height rear anchorage bar or active bolts (depending on model)

### INTERIOR FITTINGS AND OPTIONS

The following options are available:

- ✦ Ground doorstop with support plate
- ✦ Wall doorstop with mounting kit
- ✦ Door wedging/adjustment kit
- ✦ 50mm drum
- ✦ 100mm drum

